

Goulburn Mulwaree Council

Application for Septic Transport Form TWS

184-194 Bourke Street, Goulburn NSW 2580

✉ Locked Bag 22, Goulburn NSW 2580

☎ (02) 4823 4444

✉ council@goulburn.nsw.gov.au

Date Received: _____

Details of Applicant

Applicant Name:

Business Name:

Mailing Address:

Contact Number:

Email:

<input type="text"/>	<input type="text"/>
----------------------	----------------------

Details of Vehicle

For all vehicles used in the transportation of waste please provide a registration number, the maximum volume of waste the vehicle is capable of transporting and place a tick under the applicable waste types transported by each vehicle.

Registration Number: Maximum Tank Volume: Septic: Porta-loo: Grease Trap: Oily Water: Other:

<input type="text"/>	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="text"/>	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="text"/>	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="text"/>	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Details of Proposed Septic Waste and Porta-loo Discharge Volume at Plant

Estimated Weekly Discharge Volume:

Method of Volume Measurement:

<input type="text"/>	<input type="text"/>
----------------------	----------------------

Odour Inhibiting and Other Chemicals Used (MSDS must be provided)

Name of Chemical:

Dosage Rate:

<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Conditions of Service

Septic and Porta-loo Waste:

- Please attach a detailed list of all premises from which you regularly collect septic and or porta-loo waste for disposal into the Goulburn sewerage system. Only waste from within the Goulburn Mulwaree Council area will be approved for discharge. The information provided must include the following for each property:
 - Address
 - Business or property owners name
 - Business or property owners contact details
 - Volume and type of waste collected from site
 - Current frequency of collection
 - Date of most recent collection
 - Point of waste disposal

Grease Trap, Oily Water and Other Waste:

- If you intend to discharge septic and or porta-loo waste into the Goulburn sewerage system using a vehicle or vehicles that are also used to transport grease trap, oily water or other wastes you will need to provide Council with a detailed list of all premises from which you regularly collect these wastes. The information provided must include the following for each property:
 - Address
 - Business or property owners name
 - Business or property owners contact details
 - Volume and type of waste collected from site
 - Current frequency of collection
 - Date of most recent collection
 - Point of waste disposal

◇ I understand and accept the conditions as specified by the Goulburn Mulwaree Council.

Applicant Name:

Signature:

Date:

--	--	--

Council collects personal information only for a lawful purpose that is directly related to Council's functions and activities. Council is required under the Privacy & Personal Information Protection Act 1998 (PPIPA) to collect, maintain & use your personal information in accordance with the Privacy Principles & other relevant requirements of the PPIPA. For further information or clarification please contact Council's Privacy Officer or refer to Council's Privacy Management Policy at www.goulburn.nsw.gov.au.

Office Use Only

Fee 25/26

Receipt Number:

Receipt Date:

Initials:

--	--	--	--